18/5/16

Applied Maths-III

QP Code: 30598

05

05

05

06

Time: 3 hours

Total marks:80

N.B: (1) Question No.1 is compulsory. (2) Answer any three questions from remaining.

(Revised course)

(3) Assume suitable data if necessary.

Evaluate

1. (a) $\int_{0}^{\infty} e^{-2t} \left(\frac{\sinh t \sin t}{\sinh t} \right) dt$

 $f(x) = 9 - x^2$ in (-3,3) (c) Find the value of 'p' such that the function f(z) expressed in

polar co-ordinates as $f(z) = r^3 \cos p\theta + ir^p \sin 3\theta$ is analytic

(b) Obtain the Fourier Series expression for

- (d) If $F = (y^2 z^2 + 3yz 2x)\hat{i} + (3xz + 2xy)\hat{j} + (3xy 2xz + 2z)\hat{k}$. Show that \overline{F} is irrotational and solenoidal.
- 2. (a) Solve the differential equation using Laplace Transform 06

$$\frac{d^2y}{dt^2} + 4\frac{dy}{dt} + 8y = 1$$
, given y(0)=0 and y'(0)=1

(b) Prove that $J_{\epsilon}(x) = \left(\frac{48}{x^2} - \frac{8}{x}\right) J_{1}(x) - \left(\frac{24}{x^2} - 1\right) J_{\epsilon}(x)$

(c) i) Find the directional derivative of 08

 $\phi = 4xx^3 - 3x^2y^2x$ at (2,-1,2) in the direction of $2\hat{i} + 3\hat{j} + 6\hat{k}$. ii) If r = xi + y] + zk

Prove that $\nabla \log r = \frac{r}{r^2}$

- 3. (a) Show that $[\cos x, \cos 2x, \cos 3x, \dots]$ is a set of orthogonal 06 functions over $(-\pi, \pi)$. Hence construct an orthonormal set.
 - (b) Find an analytic function f(z) =u+iv where.

$$u = \frac{x}{2} \log(x^2 + y^2) - y \tan^{-1}\left(\frac{y}{x}\right) + \sin x \cosh y$$

- (c) Find Laplace transform of
 - i) jue-3 cos 2 2udu
 - ii) tVI+sint
- 4. (a) Find the Fourier Series for

 $f(x) = \frac{3x^3 - 6\pi x + 2\pi^3}{12} \quad \text{in } (0, 2\pi)$ Hence deduce that $\frac{1}{1^2} + \frac{1}{2^2} + \frac{1}{3^3}$



06

08

COM

- (b) Prove that $\int_{a}^{b} x J_0(ax) dx = \frac{b}{a} J_1(ab)$
- c) Find

i)
$$L^{1} \left[\log \left(\frac{s^{2}+1}{s(s+1)} \right) \right]$$

ii) $L^{1} \left[\left(\frac{s+2}{s^{2}-2s+17} \right) \right]$

08

06

06

08

08

5. (a) Obtain the half range cosine series for

 $f(x) = x, 0 < x < \frac{\pi}{2}$ $= \pi - x, \frac{\pi}{2} < x < \pi$

- (b) Find the Bi-linear Transformation which maps the points 1,i,-1 of z plane onto i,0,-i of w-plane
- (c) Verify Green's Theorem for $\int_{\Gamma} \overline{F} \, \overline{x}$ where $\overline{F} = (x^2 yy)\hat{j} + (x^2 y^2)\hat{j}$ and C is the curve bounded by $x^2 + 2y$ and x = y
- 6.(a) Show that the transformation 06 $w = \frac{l-tt}{l+x}$ maps the unit circle |x|=1 into real axis of w plane.
 - (b) Using Convolution theorem find

 $L^{-1} \left[\frac{s}{(s^2+1)(s^2+4)} \right]$

com

- i) Use Gauss Divergence Theorem to evaluate
 \$\iii \int_{\begin{subarray}{c} \tilde{F} \tilde{x} \tilde{x} \tilde{Y} + \tilde{x}^2 + \tilde{y}^2 + \tilde{x}^2 \tilde{x} \til
 - ii) Use Stoke's Theorem to evaluate \$\int \overline{F} \overline{dr} \text{ where}\$
 - $\overline{F} = x^2 i xy j$ and C is the square in the plane z=0 and bounded by x=0,y=0,x=a and y=a.